

IN THE CLAIMS:

Please amend Claim 2 as shown below, without prejudice to or disclaimer of the subject matter therein.

Listing of Claims:

1. (Cancelled)
2. (Currently Amended) The process of Claim [[1]]58, wherein said step (b) comprises centrifuging said lysed cell mixture.
3. (Original) The process of Claim 2, wherein said light layer comprises an emulsified lipid.
4. (Original) The process of Claim 3 further comprising:
 - e) adding an aqueous extraction solution to said light layer of step (c);
 - and
 - f) repeating said steps (b), (c) and (e) until said lipid becomes substantially non-emulsified prior to said step (d).
5. (Previously Presented) The process of Claim 3, wherein said emulsified lipid comprises a suspension of said lipid in an aqueous phase.
6. (Previously Presented) The process of Claim 58, wherein said aqueous phase comprises solid cell materials.
7. (Previously Presented) The process of Claim 58, wherein said microorganisms are obtained from a fermentation process.
8. (Original) The process of Claim 7 further comprising adding a base to a fermentation broth.
9. (Original) The process of Claim 8, wherein said base is selected from the group consisting of hydroxides, carbonates, bicarbonates, and mixtures thereof.
10. (Original) The process of Claim 7 further comprising solubilizing at least part of proteinaceous compounds in a fermentation broth.
11. (Previously Presented) The process of Claim 58, wherein said step (a) comprises heating said microorganisms to temperature of at least about 50 °C.

12. (Previously Presented) The process of Claim 58, wherein said microorganism is capable of growth at salinity level of less than about 12 g/L of sodium chloride.

13. (Previously Presented) The process of Claim 58, wherein said microorganism comprises at least about 30% by weight of lipid.

14. (Previously Presented) The process of Claim 58, wherein said microorganism is selected from the group consisting of algae, fungi, bacteria and protist.

15. (Original) The process of Claim 14, wherein said microorganisms comprise microorganisms of the order Thraustochytriales.

16. (Original) The process of Claim 15, wherein said microorganisms are selected from the genus *Thraustochytrium*, *Schizochytrium* and mixtures thereof.

17. (Original) The process of Claim 16, wherein said microorganisms are selected from the group consisting of microorganisms having the identifying characteristics of ATCC number 20888, ATCC number 20889, ATCC number 20890, ATCC number 20891 and ATCC number 20892, mutant strains derived from any of the foregoing, and mixtures thereof.

18. (Previously Presented) The process of Claim 58, wherein said microorganisms are capable of producing at least about 0.1 grams per liter per hour of docosahexaenoic acid.

19. (Previously Presented) The process of Claim 58, wherein at least about 30 % of said lipid is docosahexaenoic acid.

20-46. (Cancelled)

47. (Previously Presented) The process of Claim 58, wherein said process is conducted in an aqueous phase and said aqueous phase comprises less than about 5% of an organic solvent.

48. (Previously Presented) The process of Claim 58, wherein said process is conducted in an aqueous phase and said aqueous phase comprises less than about 4% of an organic solvent.

49. (Previously Presented) The process of Claim 58, wherein said process is conducted in an aqueous phase and said aqueous phase comprises less than about 2% of an organic solvent.

50. (Previously Presented) The process of Claim 58, wherein said process is conducted in an aqueous phase and said aqueous phase comprises less than about 1% of an organic solvent.

51. (Previously Presented) The process of Claim 58, wherein said treating said lysed cell mixture of step (b) is conducted without drying said cell mixture prior to the extraction process.

52. (Previously Presented) The process of Claim 58, wherein said process is conducted in the absence of an organic solvent.

53. (Previously Presented) The process of Claim 58, wherein said process is conducted on microorganisms in a microbial biomass comprising at least about 10% by weight entrained water.

54. (Previously Presented) The process of Claim 58, wherein said process is conducted on microorganisms in a microbial biomass comprising at least about 20% by weight entrained water.

55. (Previously Presented) The process of Claim 58, wherein said process is conducted on microorganisms in a microbial biomass comprising at least about 30% by weight entrained water.

56. (Previously Presented) The process of Claim 58, wherein said process is conducted on microorganisms in a microbial biomass comprising at least about 50% by weight entrained water.

57. (Cancelled)

58. (Previously Presented) A process for obtaining lipid from microorganisms comprising:

- a) lysing cells of the microorganisms to produce a lysed cell mixture;
- b) treating said lysed cell mixture using an extraction process conducted in a medium that comprises less than about 5% of an organic solvent, while avoiding organic solvent extraction to obtain said lipid, wherein said process produces a phase separated mixture comprising a heavy layer and a light layer, wherein said heavy layer comprises an aqueous phase and said light layer comprises lipid, and wherein

said step of treating comprises treating said lipid to obtain non-emulsified lipid in said light layer;

- c) separating said heavy layer from said light layer; and
- d) obtaining said lipid from said light layer.